



Tender No. NRSP/Hyderabad/HerWASH/01/2022

## **Tender Documents**

## For the Procurement of Material & Labour Services for

Rehabilitation of Civil Hospital Toilets, Government Vocational Training center (Girls)
Thatta Toilet, Taluka Education Office Toilet & Director Social welfare Department
office Toilets under WASH4Work component of

## **Water Aid Funded HerWASH Project**

#### **National Rural Support Programme**

Regional Office Hyderabad Hyderabad -Mirpurkhas Dual Carriage Way, Near Gul Mohar Restaurant, Rahooki, Hyderabad Phone: 03037775944, 03037772135

## **Tender Notice**

National Rural Support Programme (NRSP) invites sealed bids from PEC registered firms in Cat C6 or above for material and labour services for Rehabilitation of Toilets of Civil Hospital, Government Vocational Training center (Girls) Thatta, Taluka Education Office & Director Social welfare Department office under WASH4Work component of Water Aid Funded HerWASH Project.

Details and terms & conditions are available in the tender documents that can be downloaded free of cost from NRSP website http:// <a href="www.nrsp.org.pk">www.nrsp.org.pk</a>. The deadline for submission of tenders is <a href="May 10, 2022 till 3.00 PM">May 10, 2022 till 3.00 PM</a> at following address.

Programme Officer-Administration, National Rural Support Programme,

Regional Office, Hyderabad Mirpurkhas dual carriageway, near Gul Mohar Restaurant Rahuki, Hyderabad, Phone # 0303-7772135.

Deta	ils/Timelines	
1.	Date of commencement to Tender document (available on NRSP website)	April 26, 2022
2.	Address, last date and time for receipt of tender documents	National Rural Support Programme Regional Office Hyderabad, Hyderabad -Mirpurkhas Dual Carriage Way, Near Gul Mohar Restaurant, Rahooki, Hyderabad. Phone:03037775944, 03037772135.  10 <sup>th</sup> May, 2022 by 3:00 pm. (PST)
3.	Address, date and Time of Opening of tender documents	National Rural Support Programme Regional Office Hyderabad Hyderabad -Mirpurkhas Dual Carriage Way, Near Gul Mohar Restaurant, Rahooki, Hyderabad Phone: 03037775944, 03037772135 10 <sup>th</sup> May, 2022 by 3:30 pm. (PST)
4.	Contact to Suppliers	Interested Suppliers are requested to send their quires in writing to <a href="mailto:azhar.ahmed@nrsp.org.pk">azhar.ahmed@nrsp.org.pk</a> containing following information, so that in case of any clarification, the same may be issued to them. <ul> <li>Name of Company/Person, Contact person,</li> <li>Mailing address,</li> <li>Telephone No. Email address, Mobile No.</li> </ul>

## Note:

Bids will be opened in presence of the bidders' representative who chooses/authorized to attend.

## Contents

1.	Introduction	6
2.	Background	6
3.	Procurement Items	6
4.	Submission of Bid	7
5.	Eligibility of the Bidder	8
6.	Deliverables	8
7.	Terms of Bid	8
8.	Submission of Bid and required Documents	8
9.	Evaluation Criteria for Bid	9
10	. Fees and payment Schedule	9
11	. Paying Authority	9
12	. Delivery Schedule	10
13	Penalty for Downtime	10
14	Penalty on Liquidated Damages for delayed supply	10
15	Bid Currency	10
16	Cost of Bidding	10
17	. Bidding Document	11
18	Deadline for Submission of Bids	11
19	. Confidentiality Statement	11
20	General Terms & Conditions	11
21	Rejection of the Bid	12
22	. Modifications and Withdrawal of Bids	12
23	Bid Opening and Evaluation	12
24	. Clarifications of Bids	13
25	Purchaser's Right to Accept or Reject Any Bid or All Bids	13
26	Governing Laws and Disputes	13
27	. Authorized Signatory	13
28	Appeal	13
An	nnex A	14
An	nnex-B	15
An	nnex-C Drawings	27

Annex D.......37

#### 1. Introduction

Established in 1991, NRSP is the largest Rural Support Programme in the country in terms of outreach, staff and development activities. It is a not-for-profit organization registered under Section 42 of Companies Ordinance 1984.

NRSP's mandate is to alleviate poverty by harnessing people's potential and undertake development activities in Pakistan. It has a presence in 56 Districts in all the four Provinces including Azad Jammu and Kashmir through Regional Offices and Field Offices. NRSP is currently working with more than half a million poor households organized into a network of more than 115,076 Community Organizations. With sustained incremental growth, it is emerging as Pakistan's leading engine for poverty reduction and rural development.

## 2. Background

National Rural Support Programme is implementing a project titled "HerWASH: Improved adolescent health of rural women and girls in District Thatta" funded by Water Aid in Pakistan.

Through this project of 'HerWASH: NRSP and Water Aid will intervene to improve the menstrual hygiene of adolescent girls and MWRAs.

In order to ensure the access of women the 9 gender sensitive toilets (Women friendly toilets) will be rehabilitated/improved at four following location public offices/locations:

- I. Civil Hospital Thatta, (5 toilets)
- II. Taluka Education Office Thatta (1 toilet),
- III. Director Social Welfare Office Thatta (2 toilet) &
- IV. Government Vocational Training center (Girls) Thatta (1 toilet)

The proposed rehabilitation work aims to improve the menstrual hygiene management (MHM) for women and adolescent girls. Improved MHM will be achieved through increasing government and civil society responsiveness to the menstrual hygiene needs of women and adolescent girls, as wells as through increased utilization of MHM friendly facilities, and product supplies in schools, healthcare centers, public facilities/places and communities. The Toilets are located in Thatta city having limited access to WASH specially MHM services.

#### Procurement Items

NRSP is in process of procuring material & labour services for Improvement/rehabilitation of toilets at four locations in Thatta city under WASH4Work component of HerWASH project from Firms who are technically & financially strong and have ability to rehabilitate/improve the toilets as per the BoQ & Drawings as per Annex-B & Annex-C and terms & condition given below: -

#### 4. Submission of Bid

- 4.1. Bid with technical specifications and rates of the offered items should be submitted in single sealed envelope.
- 4.2 Bid should be submitted separately for procurement of Material and labour services separately.
- 4.3 Prices should be inclusive of all applicable taxes
- 4.4. Prices shall include transportation and other related costs till the destination which <u>are given in section 2, District Thatta.</u>
- 4.6. Toilets need to be constructed/rehabilitated by the bidder at the designated sites as mentioned above in para 2 as per the required specifications provided in Annexure B & Annexure C
- 4.7. The bidders should take care in submitting the bid and ensure that enclosed papers are not found loose and should be **properly numbered** and submitted in a file in proper manner so that the papers do not bulge out and tear during scrutiny.
- 4.8 Last Date of Submission is 10<sup>th</sup> May, 2022 till 3:00 pm local time.
- 4.9. The bids to this tender must be submitted no later than 10<sup>th</sup> May, 2022 till 3:00pm local time as per format specified in **Annex A** to the point of contact given above. Electronic bids will not be entertained. Any bids delivered after due date and time will be considered non-responsive and disqualified from further consideration.
- 4.10. The Bids should be addressed to:

# (Bids for Procurement of Material & Labor Services for Rehabilitation of Toilets) PO Admin/HR

National Rural Support Programme

Regional Office Hyderabad

Hyderabad - Mirpurkhas Dual Carriage Way, Near Gul Mohar Restaurant,

Rahooki, Hyderabad

Phone: 03037775944, 03037772135

- 4.11. The purchaser reserves the right for conducting pre-shipment inspection by its own personnel or reputed third parties. The selected bidder has to offer the items for inspection in such a manner that it does not affect the delivery schedule.
- 4.12 The offer should remain **valid for a period of 30 days** from the closing date of the Commercial Bid. Any offer falling short of the validity period is liable for rejection. However, the vendor should pass on the benefit to the purchaser if there is any price reduction in the meantime. If a bidder extend bid validity period then will also extend the bid security period.

4.13 The vendor may withdraw its offer after its submission, provided that written notice of withdrawal is received by the purchaser prior to the closing date and time prescribed for submission of tender documents. No offer can be withdrawn by the vendor subsequent to the closing date and time for submission of offers.

## 5. Eligibility of the Bidder

Firms having valid NTN and having valid PEC registration in at least Cat C6 are Eligible to participate in this tender.

#### 6. Deliverables

Rehabilitation/Improvement of Toilets as per as per details given in section 3 within 3- month time after issuing of work order to the successful bidder.

#### 7. Terms of Bid

#### 7.1. Bid Security.

All bidders shall furnish Security Deposit of Rs. 40,000 in the form of Call deposit/Pay Order/Demand Draft in favor of NRSP. Cheque will not be accepted in any case. After selection of successful bidder, NRSP will return/release the bid security to the unsuccessful bidders.

## 8. Submission of Bid and required Documents

- 8.1. The Bid should comply with the technical specification required of the items as specified section 3. The offer should be complete in all respects and contain all information asked for, with prices The Technical Bid must be organized neatly and securely in the following manner.
  - 8.1.1. Covering letter as per Annex A.
  - 8.1.2. Technical and Financial bid in details with terms and conditions on Firms original letter head duly singed and stamped.
  - 8.1.3. Undertaking on Rs.100/- stamp paper dully attested by notary public as per attach format as Annex C.
  - 8.1.4 Bid Security in the required type of bank instrument.
  - 8.1.5. Copy of NTN certificate of the Firm must be attached.
  - 8.1.6 Copy of valid PEC registration certificate must be attached.
- 8.2. If the Bid is not submitted in the prescribed formats or any of the item in the as mentioned above, the Bid is liable for outright rejection.
- 8.3. Once the bid is submitted in sealed cover by the bidder, the purchaser will not accept any addition / alterations / deletions of the Bid. However, the purchaser reserves the right to seek clarification

- or call for supporting documents from any of the bidders, for which the concerned bidder will need to submit the documentary evidence(s) as required by the purchaser.
- 8.4. Any Bid, submitted with incorrect information will be liable for rejection. Further, if any bidder is found to have submitted incorrect information at any time, he may be debarred from participation in the future tendering process.

#### 9. Evaluation Criteria for Bid

- 9.1 The Purchaser will scrutinize the offers to determine whether it is complete, whether errors have been made in the offer, whether required technical documentation has been furnished and whether the documents have been properly signed. Offers with incorrect information or not supported by documentary evidence, wherever called for, would be summarily rejected. However, the purchaser, at its sole discretion, may waive any minor non -conformity or any minor irregularity in an offer. The Purchaser reserves the right for such waivers and this shall be binding on all vendors.
- 9.2. Evaluation criteria will be <u>Given Specifications</u>, <u>Quality</u>, <u>Price and Delivery time respectively of the items</u>. Deviation from specifications stipulated may make the offer liable for rejection.
- 9.3. For proper scrutiny, evaluation and comparison of offers, the purchaser may, at its discretion, ask some or all vendors for clarification of their offer. The request for such clarifications and the response will necessarily be in writing.
- 9.4 The Bids will be evaluated for jointly for supply of material & labour . Supplier would be selected on the basis of overall lowest offer for both material & labour.

## 10. Fees and payment Schedule

- 10.1. No advance will be allowed.
- 10.2. Payment will be made after the complete and satisfactory delivery/acceptance of the works completed at designated site/destinations within 3-Months through cross cheque or mutually agreed.
- 10.3. Partial payment is allowed as mutually agreed in the contract
- 10.4. Withholding tax and GST will be deducted from all the invoices as per prescribed law of Govt. of Pakistan.
- 10.5 Tax challan will be provided within 3-4 weeks of the payment. In case of any tax exemption, valid certificate must be attached

## 11. Paying Authority

The payments as per the Payment Schedule covered hereinabove shall be paid by NRSP. However, Payment

of the Bills would be payable on receipt of advice/confirmation for satisfactory work from, project Engineer & Project Manager. Partial payment is allowed.

Following Documents are to be submitted for Payment:

- 1. Invoice of the material supplied and labour service provided on rehabilitation of toilets as per actual on site.
- 2. Tax Documents
- 3. MB for the work done
- 4. Picture of completed work
- 5. Material Received Note (MRN)/GRN (if applicable).
- 6. Comparative statement with at least three quotes of material supplied & labour services provided for Non BOQ items duly approved by NRSP.

#### 12. Delivery Schedule

The Selected Bidder must undertake to provide material and labour services for rehabilitation of toilets in project district of within three month from the date of the Work Order/contract. However, Delivery schedule may be changed under special circumstances at the discretion of the Purchaser.

## 13. Penalty for Downtime

In case of delay in the supply of material against the terms indicated in the purchase order, the Vendor will have to pay a fine of 0.5 % (Half) percent of the balance qty for each day of delay. If shipment is delayed for more than 7 days the Purchaser has the right to unilaterally cancel the contract.

## 14. Penalty on Liquidated Damages for delayed supply

In case the delivery is delayed beyond the stipulated date of delivery, 'Liquidated damage for late delivery @ one half of one percent (0.5%) of the order value for each day of delay or part thereof would be imposed, subject to maximum of 10% if the delay is for 10 days or more. The penalty for late delivery will be deducted from the bill amount.

## 15. Bid Currency

All prices shall be expressed in Pakistani Rupees only.

## 16. Cost of Bidding

The bidder shall bear all the costs associated with the preparation and submission of bids & samples and NRSP will in no case be responsible or liable for these costs regardless of the conduct or outcome of the bidding process.

## 17. Bidding Document

The bidder is expected to examine all instructions, forms, Terms and Conditions and specifications in the Bidding Document. Submission of a bid not responsive to the Bidding Document in every respect will be at the bidder's risk and may result in the rejection of its bid without any further reference to the bidder.

#### 18. Deadline for Submission of Bids

Bids must be received by the Purchaser at the address specified in the Bid Document not later than the specified date and time as specified in the Bid Document. In the event of the specified date of submission of bids being declared a holiday for the Purchaser, the bids will be received up to the appointed time on next working day.

The Purchaser may, at its discretion, extend this deadline for submission of bids by amending the bid documents.

## 19. Confidentiality Statement

All data and information received from NRSP for the purpose of this assignment is to be treated confidentially and is to be used ONLY in connection with the execution of these Terms of Reference. All intellectual property rights arising from the execution of these Terms of Reference are assigned to NRSP. The contents of written materials obtained and used in this assignment may not be disclosed to any third parties without the expressed advance written authorization of NRSP.

NRSP may then disclose the draft, final report and/or any related information to any person and for any purpose they may deem appropriate.

#### 20. General Terms & Conditions

- 20.1. The Purchaser **does not bind** itself to accept the lowest or any Bid and reserves the right to reject any or all Bids at any point of time prior to the issuance of purchase order without assigning any reasons whatsoever.
- 20.2. NRSP have the right to split the order in two or more suppliers.
- 20.3. The **NRSP** reserves the right to resort to **re-tendering without providing any reason whatsoever**. The **NRSP** shall not incur any liability on account of such rejection.

- 20.4. The **NRSP** reserves the right to **modify** any terms, conditions or specifications for submission of offer and to obtain revised Bids from the bidders due to such changes, if any.
- 20.5. **Canvassing** of any kind will be a disqualification and the **NRSP** may decide to cancel the bidder from its empanelment.

## 21. Rejection of the Bid

The Bid is liable to be rejected if:

- The document doesn't bear signature of authorized person.
- It is received through Telegram/Fax/E-mail.
- If only Technical or only financial offer is received.
- If the bid is submitted without or less or not in required type the bid security deposit.
- It is received after expiry of the due date and time stipulated.
- Incomplete bid, including non-submission or non-furnishing of requisite documents/Conditional Offers not conforming to the Terms and condition stipulated in this tender document are liable for rejection by Purchaser.
- If any of the information provided is found incorrect/false or misleading.

#### 22. Modifications and Withdrawal of Bids

Bids once submitted will be treated, as final and no further correspondence will be entertained on this.

- No bid will be modified after the deadline for submission of bids.
- No bidder shall be allowed to withdraw the bid, if the bidder happens to be a successful bidder.

## 23. Bid Opening and Evaluation

- The Purchaser will open the bids, in the presence of Bidder's representative(s) who choose/authorized to attend, at the time and date mentioned in Bid document at the address mentioned at bidding details.
- The bidder's representatives who are present shall sign the sheet evidencing their attendance. In the event of the specified date of bid opening being declared a holiday for Purchaser, the bids shall be opened at the appointed time and place on next working days.
- Bidders satisfying the technical requirements as determined by the Purchaser and accepting the
- Terms and Conditions of this document shall be short-listed.
- Decision of the Purchaser in this regard shall be final and binding on the bidders.
- The contract will be awarded only to the successful responsive bidder/s.
- NRSP reserves the right to negotiate with Second, third bidder etc. if successful bidder is not able

#### 24. Clarifications of Bids

To assist in the examination, evaluation and comparison of bids the Purchaser may, at its discretion, ask the bidder for clarification. The response shall be in writing and no change in the substance or price of the bid shall be sought, offered or permitted.

## 25. Purchaser's Right to Accept or Reject Any Bid or All Bids

The Purchaser reserves the right to accept or reject any bid and annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders or any obligation to inform the affected bidder or bidders of the ground for the Purchaser's action.

#### 26. Governing Laws and Disputes

All disputes or differences whatsoever arising between the parties out of or in relation to the meaning and operation or effect of these Tender Documents or breach thereof shall be settled amicably. If however the parties are not able to solve them amicably, the same shall be settled by arbitration in accordance with the applicable Pakistani Laws, and the award made in pursuance thereof shall be binding on the parties. The Arbitrator/Arbitrators shall give a reasoned award.

## 27. Authorized Signatory

The bidder should indicate the **authorized officials from their organization** who can discuss, correspond, sign agreements / contracts, raise invoice and accept payments and also to correspond. The bidders should **furnish proof of signature of the authorized personnel** for above purposes *as* required by the NRSP.

## 28. Appeal.

The supplier can send their complaints or grievances in connection with this PQD and its shortlisting / finalization to complaints@nrsp.org.pk.

#### **Bid submission letter format**

(To be submitted on Firm letter head)

#### Annex A

Date (Date of submission)

National Rural Support Programme Regional Office Hyderabad Hyderabad -Mirpurkhas Dual Carriage Way, Near Gul Mohar Restaurant , Rahooki, Hyderabad Phone: 03037775944, 03037772135

Subject:Technical/Financial bid for NRSP For Tender No. NRSP/Hyderabad/HerWASH/01/2022

Please find enclosed our Technical/Financial bid in respect of For the Procurement of Material & Labour Services for Rehabilitation of Civil Hospital Toilets, Government Vocational Training center (Girls) Thatta Toilet, Taluka Education Office Toilet & Director Social welfare Department office Toilets under WASH4Work component of Water Aid Funded HerWASH project. Our bid is valid till

We understand that the bid submitted herein may require further discussions and changes based on such discussions. Our Bid is binding upon us and subject to the modifications resulting from Contract negotiations. We understand that NRSP may accept or reject our bid without giving any reason.

Yours Sincerely, (Authorized Signature) (Designation)

# Annex-B

		C	Civil H	ospita akli	al		Wel	or Soci Ifare tmen		Edu		luka on Of	fice	\ Tra	oca ining	nmei tiona g cen That	l ter				Т	otal			
			our	Mat	erial	Lab	our	Mat	erial	Lab	our	Mat	erial	Lab	our	Mate	erial		Labou	ır			M	aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
	Personal Protective Equipments																								
1	Helmet (MSA (High- density polyethylene (HDPE))																					8	No		
2	Gloves (Cotton Work Gloves)																					8	NoDozen		
3	Goggles (Taiwan Plastic)																					8	No		
4	Shoes (local Rubber Shoes. Executive )																					8	Pairs ]		
5	Reflective Jacket (60 GSM)																					8	No		
9	Tap (Red & White tap for site restrictions )																					2	Role		
	Sign Boards																								
1	Provide and install a metal sign board 1'-0"x1'- 5" with clear project inscription as per Water- Aid Pakistan instruction	1	1	1	ou	0	1	1	ou	-	1	1	ou	1	1	1	ou	-	-			4	no		
A	REEHABILITATION OF Toilet																	-				0			

		C		ospita akli	al		irecto Wel Depar	fare		Edu		luka on Of	fice	\ Tra	/oca	nme tiona g cen That	l ter				7	Γotal			
			our	Mat		Lab	our	Mate		Lab		Mat		Lab		Mate			Labou					aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
1	Cement (OPC 5000Psi minimum 50-kg /bag fresh & free of clots(SR- Thatta Cement))	'	'	12	beg	0	'	8	begs	•	'	7	begs	•	•	10	begs					37	begs		
2	Fine Sand (Hill sand fine bolari free from soil, Debries and other impurities)	,	,	42	cft	0	ı	72	cft	1	ı	65	cft	1	ı	78	cft	<u>-</u>	_			257	cft		
3	Crush (0.75" Free from flakiness and elongaged shape, rounder with hammer crusher etc)	'	1	45	cft	0	1	26	cft	-	-	18	cft	-	-	32	cft	_	-			121	cft		
4	Bricks (First Class with minimum size ( 9"x4.5"x3")	-	ı	228	no	0	-	589	no	_	-	243	no	_	-	643	no	_	_			###	no		
5	Deformed Steel ( Yield strengh Minimum 60ksi)	1	ı	177	kg	0	-	27	kg	_		15	kg	-	-	38	kg	_	_			257	kg		
6	Glazed Tiles size 10"x10" (Master/style/ttimes) (should be flat and true to shape and free from blisters crazing, chips, crawling detracting from their appearance, thickness of the tiles shall be 4 mm to 6mm including bond used			114	sft	0		42	sft			42	sft			0.2	sft	_	_			268	sft		
7	Brick /Stone Ballast Toilet Floor		T	33	cft	0		42	cft		T	12	cft			42	cft	-	_			129	cft		

		c	Civil H	ospita akli	al		irecto Wel Depar	fare		Edu	_	luka on Of	fice	\ Tra	/ocat	nme tiona g cen That	l iter				т	otal			
			our	Mat	erial	Lab	oour	Mat		Lab		Mat		Lab		Mate			Labou					aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
8	Activated Lime	!	1	19	kg	0		5	kg	'	-	5	kg	ı	•	9	kg	-	ı			35	kg		
9	Weather Shield (with all other material required) (Master/Nippon/Diamond)			8	lit	0		2	lit	<del>-</del>	1	2	lit		-	3	lit	_	-			15	lit		
10	Enamle Paints(with all other material required) (Master/Nippon/Diamond )	'	1	20	lit	0	1	4	lit	-	ı	5	lit	ı	-	8	lit	-	-			37	lit		
11	Wooden Door of size (3' x 7') single pannel made of ( Partal Wood ) with Wodden Frame including interlocking mechanism at top & Middle, Handles both sides	1	1	3	ОП	0		1	ou	-	ı	1	no		-	1	ou	-	-			6	no		
11	Wooden Door of size (2.5' x 7') single panel made of (Partal Wood) with Wooden Frame including interlocking mechanism at top & Middle, Handles both sides															1	ou	-	_			1	no		
12	Wooden Ventilator (3'x1.5') with Frame 1.5'x1.5'	'	'	0	'	0	,	1	ou	,	'	1	ou	1	,	0	<u>'</u>	-	-			2	no		

		(	Civil H Ma	ospita akli	al		Wel	or Soci Ifare rtmen		Edu	-	luka on Of	fice	\ Tra	/ocat	nme tiona g cen That	l ter				T	otal			
			oour		terial		our	Mat		Lab		Mat		Lab		Mate			Labou					aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
13	Wooden Ventilator (1.5'x1.5') with Frame 1.5'x1.5'	1		4	ou	0	-	0	-	-	-	0	_	1	_	0	-	-	_			4	no		
14	Wooden Ventilator (2'x1.5') with Frame 2'x1.5'	1	ı	2	ou	0	1	0	1	-	ı	0	-	ı	-	2	ou	-	-			4	no		
15	Indian WC standard size White color with all Accessories of Master	1	-	3	ou	0		1	ou	-	-	0	_	ı	_	0	-	-	-			4	no		
16	Master/Porta/Vogue Commode standard size with all Accessories ( 28"x27"x15")	'	1	3	ou	0	1	1	ou	-	ı	0	-	ı	•	1	ou	_	_			5	no		
17	Stainless Steel Safety handels (1" dia ) 2 ft length	ı	1	24	ou	0	1	8	ou	ı	1	8	ou	ı	ı	10	ou	-	-			50	no		
18	Ramp Hand Rail Stainless Steel of 1.5" dia , height 3ft, 8 column pipes at 2' span.			0		0		66	rft	-	-	66	rft	_	-	66	rft	_	_			297	rft		
19	Muslim Shower Ilmas/ Master	ı	ı	3	ou	0	ı	1	ou	1	ı	1	ou	ı	1	0	ı	-	-			5	no		
20	Wash Basin (Master/Capital/Porta/Vogue)			1	ou	0		1	ou	_	<del></del>	0	_	T -	+	1	ou	-	-			3	no		
21	Flush Tank 8 litter Master	ı	ı	4	ou	0	ı	1	ou	ı	ı	1	ou	ı	1	1	ou	-	-			7	no		

		C	Civil H	•	ıl		irecto Wel <sup>:</sup> Depar	fare		Edu	_	uka on Of	fice	\ Tra	Voca aining	nmei tiona g cen That	l ter				7	<b>Total</b>			
		Lab		Mat	erial	Lab	our	Mate	erial	Lab	our	Mate	erial	Lab		Mate	erial		Labou	ır			M	ateria	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
22	Wooden Kit Box (1.5' x 1.5') single pannel including interlocking mechanism at middle	'	'	2	no	0	'	1	no	'	'	1	no	'	'	1	ou	-	-			5	no		
23	Washroom mirror 18"x 24" (thickness 5 mm Ghani Glass) with plastic wall brackets, screws and rawl plugs	1	1	4	no	0	-	0	-	_	_	0	_	_	-	0	-	-	-			4	no		
24	Full body mirror 2'x 4' with SS brackets, screws and plastic Rawl plugs for fixing of the mirror (Thickness 5mm Ghani Glass)	I	ı	9	ou	0	1	1	ou	-	1	1	no	1	1	1	ou	-	-			9	no		
	Excavation	-	1	0	1	99	cft	0	1	27	cft	0	1	76	cft	0	1						no		
		,				1		0						,				259	cft			0	-		
25	PCC (1:2:4) cube strength 28days(3000psi)	16	cft	0	·	0	cft		·	21	cft	0		16	cft	0		52	cft			0	-		
26	PCC (1:4:8) with compressive strength (7 days)1087psi	4	cft	0	_	7	cft	0	_	_	<u> </u>	0	_	9	cft	0	T	17	cft			0	-		
27	RCC 1:2:4cube strength 28days(3000psi)	30	cft	0		23	cft	0	-	-	-	0		14	cft	0	-	67	cft			0	_		
28	Brick /Stone Ballast Toilet Floor	33	cft	0		42	cft	0	-	12	cft	0		42	cft	0	'	130	cft			0	_		
29	Brick Masonry in 1:4 C/S Mortar	17	cft	0		44	cft	0	_	18	cft	0	1	48	cft	0	-	126	cft			0	-		

		c	Civil H Ma	ospita akli	al		Wel	r Soci fare tmen		Edu		luka on Of	fice	\ Tra	/oca	rnme tiona g cen That	l ter				7	<b>Total</b>			
			our	Mat	erial	Lab	our	Mat	erial	Lab	our	Mat	erial	Lab		Mat			Labou					aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
30	Plastering in 1:4 C/S mortar (1/2" thick)	275	sft	0		127	sft	0	'	185	sft	0	1	169	sft	0	1	756	sft			0	-		
31	Glazed Tiles size 10"x10" (Master/style/times) (should be flat and true to shape and free from blisters crazing, chips, crawling detracting from their appearance, thickness of the tiles shall be 4 mm to 6mm including bond used	114	sft	0	1	42	sft	0	1	42	sft	0	1	70	sft	0	ı	268	sft			0	_		
32	Removing of Existing Tiles	114	sft	0	ı	42	sft	0	ı	42	sft	0	ı	70	sft	0	-	268	sft			0	_		
33	Dismantling of Existing floor	114	sft	0	ı	42	sft	0	,	42	sft	0	1	70	sft	0	ı	268	sft			0	-		
34	Steel cutting, binding, Fixing	177	kg	0	-	27	kg	0	ı	15	kg	0	1	38	kg	0	-	257	kg			0	-		
35	Whitewash (3 coats)	2,031	sft	0	1	190	sft	0	ı	151	sft	0	ı	875	1JS	0	-	3,247	sft			0	-		
36	Color washing (two coats) over one coat of whitewash	2,031	sft	0		190	sft	0	·	151	sft	0	ı	875	sft	0	1	3,247	sft			0	_		
37	Painting (two coats over one coat of priming)	120	cft	0	ı	26	sft	0	ı	27	sft	0	ı	45	sft	0	1	217	sft			0	-		
38	Fixtures	T-	1	0	T	26	sft	0	T	27	sft	0	Ī	27	sft	0		80	sft			0	-		

		C	Civil H Ma	ospita akli	al		Wel	r Soci fare tmen		Edu	-	luka on Of	fice	\ Tra	/oca	nme tiona g cen That	l ter				1	otal			
		Lat	our	Mat	erial	Lab	our	Mat		Lab	our	Mat	erial	Lab	our	Mate			Labou					ateria	1
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
39	Unskilled Labors required for Cleaning of Garbage and Bushes from Main holes and Chambers etc	35	Days				Days											35	Days			0			
В	Water Supply &Plumbing Work for Toilets																					0			
1	Dunkey Pump (0.5HP) Rehbar/ Humdard	'	'	0	'	0	'	1	ou	'	'			'	'	1	ou	-	-			2	no		
2	LED 12V Savers 5watt	1	ı	12	ou	0	1	2	watt	-	ı	2	ou	-	_	4	ou	-	-			20	no		
3	Fittings (Wire, Pannel Board, Channel Pati)etc	'	'	2	ou	0	'	1	ou	'	'	1	no	1	'	2	ou	-	-			6	no		
4	Bib cock (Master/Sonex)	1	ı	4	ou	0	1	1	ou	-	1	1	ou	-	_	1	ou	-	-			7	no		
5	Tee cock (Master/Sonex)	'	1	9	ou	0	'	3	ou	_	'	1	no	_		2	ou	-	-			12	no		
6	Pillar cock(Master/Sonex)	<u>'</u>	'	1	ou	0	'	1	ou		'	1	no	'		1	ou	-	-			4	no		
7	Bends,Socket,Elbow,Tee etc Size(1", 0.75",0.5") Stelex/ Jiddah SCH-40	'	'	70	ou	0	'	15	ou	'	'	15	no	'		30	по	_	-			130	no		
8	PVC Socket & Valves Stlex /Jiddah/ Pak Arab (SCH-40)	-	-	21	ou	0	-	5	ou	-	-	2	ou	-	-	10	ou	-	-			41	no		
9	Stainless Steel Taps ilmas / Master (0.5")	1	ı	12	ou	0	ı	c	ou	ı	ı	3	ou	ı	ı	5	ou	-	-			23	no		

		c	Civil H	•	al		irecto Wel Depar	fare		Edu	Tal	uka on Of	fice	\ Tra	/ocat	nmei tiona g cen That	l ter					T	otal			
		Lab	oour	Mat		Lab		Mate	erial	Lab		Mat		Lab		Mate	erial		Labou						aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
10		-	-	120	rft	0	-	70	rft	-	_	25	rft	_	-	20	rft	-	-				235	rft		
11	PVC Jiddah/Pak Arab 2" dia (for Waste water from HW)	-	ı	40	rft	0		40	rft	-	ı	20	rft	-	ı	20	rft	-	-				120	rft		
12	PPRC Jiddah/Pak Arab 0.5" dia	ı	ı	09	rft	0	ı	40	rft	I	I	25	rft	I	_	30	rft	-	-				155	rft		
13	PPRC Jiddah/Pak Arab 0.75" dia	'	'	40	rft	0	'	200	rft	-	'	20	rft	'	-	20	rft	-	-				280	rft		
14	Marble slab of atleast 1" thickness with rounded shape on front side.	'	'	0	'	0	'	0	-	•	ı	0	•	•	-	0	-	-	-				0	-		
15	LDPE Plastic Food grade water tank White 600 litter 5 layer vertical (Shandar)	•	1	0	-	0	-	1	no	-	-	1	no	-	-	1	no	_	-				3	no		
16	Bottle trap	'	1	0	_	0	-	0	_	-	-	0	-	ı	_	0	-	-	-				0	-		
19	Counter t0p basin /Vanity (Size 1'-10" X 1'.6") PORTA /Master	ı	ı	0	-	0	ı	0	-	ı	ı	0	ı	1	-	0	-	-	-				0	-		
20	GI Pipe 2" dia (IIL-EL)	I	'	0	'	0	-	0	_	-	1	0	-	-	-	0	-	ı	1				0	ı		
21	MS Door 1' x 1.5' with angle iron frame & Handle	-	ı	0	-	0	<u> </u>	0	-	-	1	0	-	-	1	0	-	-	-				0	-		
	Electric Work in Men Days	2	Days	0	-	1	Days	0	ı	1	Days	0	ı	2	Days	0	ı	6	No				0	-		

		(	Civil H Ma	ospita akli	al		Wel	r Soci fare tmen		Edu		luka on Of	fice	Tra	Voca aining	rnme tiona g cen That	l iter				1	<b>Total</b>			
			oour	Mat	erial	Lab	our	Mat		Lab	our	Mat	erial	Lab	oour	Mat			Labou					aterial	
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
	Plumbing work in Men Days	5	Days	0	ı	1	Days	0	1	1	Days	0	•	2	Days	0	1	9	No			0	-		
C	Construction of Hand Washing Facility																	_				0			
	Cement (OPC 5000Psi minimum 50-kg /bag fresh & free of clods (SR- Thatta Cement))	'	'	4	begs	0	'	0	'	'	'	0	'	'	'	0	'	-	_			4	begs		
	Fine Sand (Hill sand fine Bolari free from soil, Debris and other impurities)		1	12	cft	0	•	0	1	•	1	0	1	1	1	0	•	-	-			12	cft		
	Crush (0.75" Free from flakiness and elongated shape, rounder with hammer crusher etc.)			6	cft	0	-	0	-	1	1	0	1	1	1	0	-	-	-			9	cft		
	Bricks (First Class with minimum size (9"x4.5"x3")			77	ou	0	·	0		1	1	0	1	1	1	0	1	-	-			77	no		
	Deformed Steel (Yield strength Minimum 60ksi)	ī	ı	35	kg	0	1	0	1	1	1	0	1	ı	Ī	0	ı	-	-			35	kg		
	Marble slab of at least 1" thickness with rounded shape on front side.			35	sft	0		0	T			0			Ī	0		_	-			35	sft		


		C		ospita akli	al		irecto Wel Depar	fare		Edu		luka on Of	fice	\ Tra	Vocat aining	nme tiona g cen That	l ter					Total			
			our	Mat		Lab	our	Mate		Lab		Mat		Lab		Mat			Labou					ateria	l I
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
	Glazed Tiles size 10"x10" (Master/style/times) (should be flat and true to shape and free from blisters crazing, chips, crawling detracting from their appearance, thickness of the tiles shall be 4 mm to 6mm including bond used	-		9	sft	0	_	0	_	_	-	0	_	_	_	0	-	1	ı			65	sft		
	Bottle trap	,	1	4	ou	0	_	0	_	_	'	0	_	_	_	0	,	1	-			4	no		
	Tee cock (Master/Sonnex)	-	1	4	ou	0		0	-	-	ı	0	-	_		0	1	-	-			4	no		
	Pillar cock(Master/Sonnex)	1	ı	4	ou	0	1	0	_	_	ı	0	_	I	-	0	ı	_	-			4	no		
	Counter Top basin /Vanity (Size 1'-10" X 1'.6") PORTA /Master	1	ı	4	ou	0	-	0	-	-	-	0	-	ı	-	0	-	-	-			4	no		
	RCC 1:2:4cube strength 28days(3000psi)	10	Cft	0		0	_	0	_	_		0	_	_	_	0	-	10	cft			0	-		
	Marble slab of at least 1" thickness with rounded shape on front side.	35	Sft	0	1	0	ı	0	1	1	1	0	1	ı	1	0	1	35	sft			0	-		
	Brick Masonry 1:4 C/S mortar 1500psi	9	cft	0	'	0	'	0	'	'	'	0	'	1	'	0	'	6	cft			0	_		
	Plastering in 1:4 C/S mortar (1/2" thick)	109	Sft	0	ı	0	ı	0	1	-	-	0	ı	ı	ı	0	1	109	sft			0	-		


		Civil Hospital Makli			Director Social Welfare Department				Taluka Education Office				Government Vocational Training center (Girls) Thatta				Total								
		Lab		Mat	erial	Lab	our	Mate	erial	Lab	our	Mat	erial	Lab	our	Mate	erial		Labou	ır			M	ateria	i
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
	Glazed/Ceramic Tiles	65	Sft	0	-	0	-	0	_	_	_	0	_	_	_	0	1	65	sft			0	-		
D	Constructions of Incinerator																	-				0			
	Cement (OPC 5000Psi minimum 50-kg /bag fresh & free of clods (SR- Thatta Cement))	-	'	9	begs	0	-	3	beg	-	1	3	begs	-	1	3	begs	_	_			15	begs		
	Fine Sand (Hill sand fine Bolari free from soil, Debris and other impurities)	1	'	31	cft	0	-	18	cft	-	ı	18	cft	-	ı	18	cft	-	-			85	cft		
	Crush (0.75" Free from flakiness and elongated shape, rounder with hammer crusher etc.)	•	'	18	cft	0	-	6	cft	-	-	6	cft	-	-	6	cft	_	_			45	cft		
	Bricks (First Class with minimum size (9"x4.5"x3")	1	'	513	no	0	-	256	no	_	1	256	no	_	1	256	no	-	-			###	no		
	Deformed Steel ( Yield strength Minimum 60ksi)	1	ı	39	kg	0	-	20	kg	_	-	20	kg	_	-	20	kg	_	-			99	kg		
	MS Door 1' x 1.5' with angle iron frame & Handle	1	1	4	ou	0	ı	2	ou	ı	ı	2	ou	ı	ı	2	no	-	1			10	no		
	GI Pipe 2" dia (IIL-EL)			16	rft	0		8	rft			8	rft			8	rft	-	-			40	rft		
	RCC 1:2:4cube strength 28days(3000psi)	6	Cft	0	Ī	5	cft	0	_	5	cft	0	-	5	cft	0		23	cft			0	-		

		Civil Hospital Makli				Director Social Welfare Department				Taluka Education Office				Government Vocational Training center (Girls) Thatta				Total							
			Labour Material		Labour Material				Labour Mater				Labour		Material		Labour				Material				
S.No	Description of Items	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Est. Quant	Unit	Rate	Amount (Rs)	Est. Quant	Unit	Rate	Amount (Rs)
	PCC (1:4:8) with compressive strength (7 days)1087psi	10	Cft	0	1	5	cft	0	ı	5	cft	0	-	5	cft	0	ı	26	cft			0	_		
	Wall Drilling for Fixing	1	cft	0	1	14	cft	0	ļ	14	cft	0	ı	14	cft	0	ı	42	cft			0	_		
	Brick Masonry 1:4 C/S mortar 1500psi	38	Cft	0	1	19	cft	0	1	19	cft	0	ı	19	cft	0	1	95	cft			0	_		
	Plastering in 1:4 C/S mortar (1/2" thick)	210	sft	0	ı	105	sft	0	1	105	sft	0	_	105	1JS	0	1	526	sft			0	-		


Note: The quantities given above are the estimated. The actual quantities may vary (increase/decrease) from location to location based on the site situation. The payment will be made as per the actual work done on project site duly verified by Engineer in charge. In addition, during course of work if any non-BoQ item is needed that will be included based on the market rates duly verified and compared based on at least three quotations.


# **Annex-C Drawings**






#### Rehabilitation Detailled Drawings Site 02: Rehabilitation Plan of Latrine





Rehabilitation Detailled Drawings Site 04: Rehabilitation Plan of Latrine



#### FIGURE-1-PROPOSED DESIGN ON INCINERATOR FOR ALL SITES.




Figure 2: PROPOSED DESIGN FOR SEPTIC TANK FOR SOCIAL WALFARE OFFICE...





Figure 3: PROPOSED DESIGN FOR Hand Washing Facility Site-1 (Portion-1)-CIVIL HOSPITAL








Figure 4: PROPOSED DESIGN FOR Hand Washing Facility Site-1 (Portion-2)- CIVIL HOSPITAL





#### Annex D

#### (SHOLD BE SUBMITTED ON RS.100- STAMP PAPER DULLY ATTESTED BY NOTARY PUBLIEC)

#### **UNDERTAKING/DECLARATION OF ELIGIBILITY**

In the response to your Tender# NRSP/Hyderabad/Her WASH/01/2022, I/We, the undersigned, hereby declare that:

- Our bid is valid for a period of 60 days from the last date for the submission.
- We agree to adhere to all of the terms and conditions as given in the tender documents of the NRSP and other documents as provided in the tender documents.
- We confirm that we are not engaged in any corrupt, fraudulent, collusive or coercive practices and acknowledge that if evidence contrary to this exists, NRSP reserves the right to reject our bid or terminate the contract with immediate effect.
- We are not bankrupt or being wound up, are having our affairs administered by the courts, have not the subject of proceedings concerning those matters, or are in any analogous arising from the a procedure provided for in national legislation or regulations.
- We have not been convicted of an offence concerning professional conduct by any judgment.
- We have not been guilty of grave professional misconduct proven by any means which the NRSP can justify.
- We have fulfilled obligations relating to the payment of social security contributions or the payment of taxes in accordance with legal provision the country in which we are established or with those of the country where the contract is to be performed.
- We have not been the subject of the judgment for any fraud, corruption, involvement in criminal/terrorist organization or any other illegal activity detrimental to Pakistani Law.
- I/We as sole proprietorship, authorized dealers, Association of Persons (AOP), partnership firms, private or public limited companies or other do not have any kind of relationship with the NRSP Staff; and if later my this statement is not found in conformity with reality i.e. relationship is found, I would stand liable to NRSP as per the rules mentioned in the tender documents.
- Are not guilty of serious misinterpretation in supplying information.
- Are not in situations of conflict of interest (with prior relationship to project or family or business relationship to parties in NRSP).
- Have no relation, direct or indirect, with any terrorist or banned organizations.
- Are not blacklisted by any Local/International organization, PPAR, SPPRA, Government/semi Government department, NGO or any other company/organization.
- Have no relation, direct or indirect, with proscribed individual/entities/political expose person(s).
- Are not on any list of sanctioned parties issued by the Pakistan Government, DIFD, USAID, UN agencies, UNSCR, NACTA, European Union and others.
- Have not been reported for/under litigation for child abuse.

Full official Name:	
CNIC No.	
Name of Company:	
Signature:	
Company Stamp:	